

## **DIVISION 06 - WOOD, PLASTICS AND COMPOSITES**

### **06 00 00 WOOD, PLASTICS AND COMPOSITES**

1. Specify materials and products that contribute to meeting the requirements of LEED-NC 2.2 MR Credits 4, 5, 6, 7, and EQ Credits 4.1 and 4.4.

#### **06 40 00 ARCHITECTURAL WOODWORK**

##### **06 40 23 INTERIOR ARCHITECTURAL WOODWORK**

1. All work shall be in conformance to the Architectural Woodwork Institute (AWI) standards.
2. Stained wood trim: When applying stained finished wood trim, such as chair rails, cove moldings, base or casings Contractor is to use care to get proper match of grain density at joints to avoid light/dark visual contrast as a result of differentiating wood grain density each side of joint.
3. ADA accessible counters located in public areas, such as great rooms within student housing, shall conform to Standard Detail 06.001, Appendix C of this manual.

#### **06 42 00 WOOD PANELING**

##### **06 42 16 WOOD VENEER PANELING**

1. When designing wood panel interior wall finishes the Designer shall take into account building humidity conditions. Panel joints shall be designed to allow movement based upon humidity conditions without causing unsightly open joints or buckling of panel joints.

END OF SECTION