

DIVISION 12 - FURNISHINGS

12 10 00 ART

1. Artwork will be furnished and installed by the University. Coordinate art locations with the University so other items that may interfere and conflict with artwork locations e.g. thermostats, fire pulls, strobes and alarms, are coordinated and positioned properly.

12 20 00 WINDOW TREATMENTS

12 21 00 WINDOW BLINDS

12 21 13 HORIZONTAL LOUVER BLINDS

1. TWF Express, 008 gauge in #376 Navajo White is University standard window coverings. GVSU's standard supplier is Triangle Window Fashions (616) 538-6976. Specify materials and products that contribute to meeting the requirements of LEED-NC 2.2 EA Prerequisite 2 and EA Credit 1; MR Credits 4 and 5; EQ Credits 4.4, 6.1, and 8.1.
2. On student housing projects every apartment window shall have installed, the above required horizontal louver blinds.

12 30 00 CASEWORK

12 36 00 COUNTERTOPS

12 36 61 SIMULATED STONE COUNTERTOPS

12 36 61.16 SOLID SURFACE COUNTERTOPS

1. If countertops used in toilet rooms are constructed with laminated plastic or laminated solid surface finished surfaces on wood substrate, the wood substrate shall be exterior grade material and water resistant to avoid delamination or failure of substrate due to direct contact with water as a result of University maintenance or other causes. Specify materials and products that contribute to meeting the requirements of LEED-NC 2.2 MR Credits 4 and 5; and EQ Credits 4.1 and 4.4.

12 40 00 FURNISHINGS AND ACCESSORIES

12 48 00 RUGS AND MATS

12 48 13 ENTRANCE FLOOR MATS AND FRAMES

- 1 Design permanent entryway systems at least six feet long and ADA compliant, whichever is greater, in the primary direction of travel to capture dirt and particulates from entering the building at all entryways that are directly connected to the outdoors. Qualifying entryways are those that serve as regular entry points for building users. Acceptable entryway systems include permanently installed grates, grilles, or slotted systems that allow for cleaning underneath. In addition to permanent entryway systems, provide the following supplemental materials:

- A Loose-laid Walk-off Mats: Two (2) sets of loose-laid interior walk-off mats shall be included in the construction cost. Such mats shall be placed at all building vestibule areas as well as interior space

immediately within the entrance doors into the building's main interior. Confirm final locations with Owner. Loose-laid walk-off mats to be "Water Hog, Premier Fashion"; Color: Grey Ash, however other manufacturer's standard colors can be considered, with University approval. Product comes with diagonal pattern, fashion border and cleated rubber backing.

- B Modular matting, used as finish floor surface within an entry vestibule, shall be Interface "Entry Level" 16.7" x 16.7" tile with moisture guard backing. Confirm color choice, from manufacturer's standard colors with University.

12 90 00 OTHER FURNISHINGS

12 93 00 SITE FURNISHINGS

12 93 13 BICYCLE RACKS

- 1 Bike Racks: GVSU standard is Columbia Cascade Timberform Super Cycloops; Model #2175-10-P-C; Color: Black Caspex Powder Coat Finish, 4 - 1/2" OD schedule 40 steel pipe, pedestal mount with matching base covers. Exclude anchoring bolts.
- 2 Locate racks within 200 yards of a building entrance.

12 93 23 TRASH AND LITTER RECEPTACLES

- 1 Trash Containers: Provide space for containers at each building entrance. GVSU Standard is:
 - A Plexus Litter Receptacles by Landscape Forms. 20-inch diameter, 30-gallon, with side opening, surface mounting and without ash sand pan lids; Color: Grotto. See Appendix C, Detail 12.002.
- 2 Ash Urn: Buttler Ash Receptacle by Forms and Surfaces; Model #SUBUT-MDS, Medium pole mount or SUBUT-MDW Medium wall mount. Color: Black. See Appendix C Detail 12.001.
- 3 All GVSU buildings are now totally non-smoking and University policy only allows smoking 25 feet or further away from a GVSU building (This means from any point from the building and not just the building entrance). Ash Urns are to be located accordingly.

12 93 43 SITE SEATING AND TABLES

- 1 Site Benches: GVSU standard is Landscape Forms Plexus straight-backed seat (for straight run) Embedded straight support, grid seat and back, length as required for numbers of seats used. (maximum of 5 seats per length) Powder coat Color: Grotto. See Appendix C, Detail 12.003.
- 2 Standard Site Tables: GVSU standard is Landscape Forms Carousel Table; with six (6) metal grid seats; Steelhead perforated tabletop with umbrella hole. Freestanding support. Table top color: Grotto. Seat and support color: Grotto. See Appendix C, Detail 12.004.
- 3 ADA Site Tables: GVSU standard is Landscape Forms Carousel Table; with five (5) metal grid seats; Steelhead perforated tabletop with umbrella hole. Freestanding support. Table top color: Grotto. Seat and support color: Grotto. See Appendix C, Detail 12.005.
- 4 Table Umbrellas: GVSU standard is Landscape Forms Equinox Umbrella; 96" dia. x 97" high with stand. Plain edge cover. Fabric color: #4608 Jet Black; Powder coat color; grotto. See Appendix C, Detail 12.006.

END OF SECTION