

## LITERATURE CITED

---

- Alberti, M., D. Booth, K. Hill, B. Coburn, C. Avolio, S. Coe and D. Spirandelli 2007. The impact of urban patterns on aquatic ecosystems: An empirical analysis in Puget lowland sub-basins. *Landscape and Urban Planning* 80: 345-361.
- Alliance of Rouge Communities 2009. Rouge River Watershed Management Plan, January.
- Banting, D., H. Doshi, J. Li, P. Missios, A. Au, B.A. Currie and M. Verrati 2005. Report on the environmental benefits and costs of green roof technology for the City of Toronto. Ryerson University report prepared for the City of Toronto and the Ontario Centres of Excellence – Earth and Environmental Technologies, October 31.
- Bedan, E.S. and J.C. Clausen 2009. Stormwater runoff quality and quantity from traditional and low impact development watersheds. *Journal of the American Water Resources Association* 45(4): 998-1008.
- Beighley, R.E., T. Dunne, and J.M. Melack 2008. Impacts of climate variability and land use alterations on frequency distributions of terrestrial runoff loading to coastal waters in Southern California. *Journal of the American Water Resources Association* 44(1): 62-74.
- Berry, L.L. 2000. Cultivating service brand equity. *Journal of the Academy of Marketing Science* 28(1): 128-137
- Bhaduri, B., J. Harbor, B. Engel and M. Grove 2000. Assessing watershed-scale, long-term hydrologic impacts of land-use change using a GIS-NPS model. *Environmental Management* 26(6): 643-658.
- Bhaduri, B., M. Minner, S. Tatalovich and J. Harbor 2001. Long-term hydrologic impact of urbanization: A tale of two models. *Journal of Water Resources Planning and Management* 127(1): 13-19.
- Brezonik, P.L. and T.H. Stadelmann 2001. Analysis and predictive models of stormwater runoff volumes, loads, and pollutant concentrations from watersheds in the Twin Cities Metropolitan Area, Minnesota, USA. *Water Research* 36(7): 1743-1757.
- Chang, C.L., P.T. Chiueh and S.L. Lo 2007. Effect of spatial variability of storm on the optimal placement of best management practices (BMPs). *Environmental Monitoring and Assessment* 135: 383-389.

- Chocat, B., P. Krebs, J. Marsalek, W. Rauch and W. Schilling 2001. Urban drainage redefined: From stormwater removal to integrated management. *Water Science and Technology* 43(5): 61-68.
- Clark, J.S., S.R. Carpenter, M. Barber, S. Collins, A. Dobson, J.A. Foley, D.M. Lodge, M. Pascual, R. Pielke Jr., W. Pizer, C. Pringle, W.V. Reid, K.A. Rose, O. Sala, W.H. Schlesinger, D.H. Wall and D. Wear 2001. Ecological forecasts: an emerging imperative. *Science* 293: 657-660.
- Conservation Research Institute 2005. Changing cost perceptions: An analysis of conservation development. Report prepared for Illinois Conservation Foundation and Chicago Wilderness, February. [Online] URL: [http://www.nipc.org/environment/sustainable/conservationdesign/cost\\_analysis/](http://www.nipc.org/environment/sustainable/conservationdesign/cost_analysis/).
- Cowles, F.E. 2009. The future of stormwater utilities in Michigan. *MWEA Matters*, Spring Issue 5(1): 28-30.
- Denning, R. and B. Sanborn 2008. Urban forest ecological services assessment: Summary report of the City of Grand Rapids, Michigan. Report by Annis Water Resources Institute at Grand Valley State University, October 27.
- Doll, A., P.F. Scodari and G. Lindsey 1998. Credits as economic incentives for on-site stormwater management: issues and examples. In: Proceedings of the U.S. environmental protection agency national conference on retrofit opportunities for water resource protection in urban environments. Chicago, IL.
- Doll, A., and G. Lindsey 1999. Credits bring economic incentives for onsite stormwater management. *Watershed and Wet Weather Technical Bulletin* 4:12-15.
- Domagalski, J. 1996. Pesticides and pesticide degradation products in stormwater runoff: Sacramento River basin, California. *Water Resources Bulletin* 32(5): 953-964.
- Dougherty, M., R.L. Dymond, T.J. Grizzard, Jr., A.N. Godrej, C.E. Zipper, J. Randolph and C.M. Anderson-Cook 2006. Empirical modeling of hydrologic and NPS pollutant flux in an urbanizing basin. *Journal of the American Water Resources Association* 42(5): 1408-1419.
- Dreyfuss-Wells, K. and T.J. Denbow. 2003. Technical factors for riparian buffer implementation through local ordinances. River Network Website: [http://www.rivernetwork.org/newsite/blank.cfm?doc\\_id=159](http://www.rivernetwork.org/newsite/blank.cfm?doc_id=159) (accessed 11/8/03).
- Ducros, C. and N.M. Watson. 2002. Integrated land and water management in the United Kingdom: Narrowing the implementation gap. *Journal of Environmental Planning and Management* 45(3): 403-423.

- Engel, B.A., (2001 Update). L-THIA NPS (Long Term Hydrologic Impact Assessment and Non Point Source Pollutant Model, Version 2.1A), Purdue University and U.S. Environmental Protection Agency.
- Fullerton, D. and A. Wolverton 1999. The case for a two-part instrument: Presumptive tax and environmental subsidy. In: Panagariya, A., P. Portney and R. Schwab (eds). Environmental and public economics: Essays in honor of Wallace Oates. E. Edward Elgar: Cheltenham, UK, pp. 32-57.
- Goodwin, K. 2007. Total maximum daily load for biota for the River Rouge Watershed, including Bishop and Tonquish Creeks Washtenaw, Wayne and Oakland Counties. Michigan Department of Environmental Quality, Water Bureau Report, August.
- Gray, B.J. 2006. Benchmarking services branding practices. *Journal of Marketing Management* 22: 717-758.
- Groothuis, P.A. 2005. Benefit transfer: A comparison of approaches. *Growth and Change* 36(4): 551-564.
- Hillman, T., L. Crase, B. Furze, J. Ananda and D. Maybery 2005. Multidisciplinary approaches to natural resource management. *Hydrobiologia* 552: 99-108.
- Hisschemöller, M., R.S.J. Tol and P. Vellinga 2001. The relevance of participatory approaches to integrated environmental assessment. *Integrated Assessment* 2: 57-72.
- Jacob, J.S. and R. Lopez 2009. Is denser greener? An evaluation of higher density development as an urban stormwater-quality best management practice. *Journal of the American Water Resources Association* 45(3): 687-701.
- Koches, J., J. Conzelmann, R. Denning, B. Hanson, K. Thompson, M. Lelli and M. VanPortfliet 2005. Population Allocation Model: User's Manual. Report to the Fremont Area Community Foundation, AWRI Publication #MR-06-2.
- Lane, R., D. Lucas, F. Vanclay, S. Henry and I. Coates 2005. "Committing to Place" at the local scale: The potential of youth education programs for promoting community participation in regional natural resource management. *Australian Geographer* 36(3): 351-367.
- Larson, K. 2009. Social acceptability of water resource management: A conceptual approach and empirical findings from Portland, OR. *Journal of the American Water Resources Association* 45(4): 879-893.

- Lauber, T. E.L. 1999. Can the Big Bayou be saved? Water quality assessment and management recommendations for Spring Lake Watershed, Ottawa and Muskegon Counties, Michigan. MSc Thesis. Michigan State University, East Lansing, MI.
- Lehman, J.T., D.W. Bell and K.E. McDonald 2009. Reduced river phosphorus following implementation of a lawn fertilizer ordinance. *Lake and Reservoir Management* 25: 307-312.
- Lemoine, R. 2007. An evaluation of the reduced environmental impact from high-density development. *Stormwater* 8(7): 90-95.
- Line, D.E., N.M. White, D.L. Osmond, G.D. Jennings and C.B. Mojonier 2002. Pollutant export from various land uses in the Upper Neuse River Basin. *Water Environment Research* 74(1): 100-108.
- MacMullan, E., S. Reich, T. Puttman, and K. Rodgers 2008. Cost-benefit evaluation of ecoroofs. Conference Proceedings of the 2008 International Low Impact Development Conference. American Society of Civil Engineers: Reston, VA.
- Masden, T. and E. Figdor 2007. When it rains, it pours: Global warming and the rising frequency of extreme precipitation in the United States. Report to Environment Michigan Research & Policy Center. Online URL: [http://www.environmentmichigan.org/reports/global-warming/global-warming-program-reports/when-it-rains-it-pours#id6Jd9CmkZI\\_zTlwcq\\_wTTLQ](http://www.environmentmichigan.org/reports/global-warming/global-warming-program-reports/when-it-rains-it-pours#id6Jd9CmkZI_zTlwcq_wTTLQ) (accessed February 17, 2010).
- McFarland, A.M.S. and L.M. Hauck 1999. Relating agricultural land uses to in-stream stormwater quality. *Journal of Environmental Quality* 28(3): 836-844.
- McLellan, S.L., E.J. Hollis, M.M. Depas, M. VanDyke, J. Harris, and C.O. Scopel 2007. Distribution and fate of *Escherichia coli* in Lake Michigan following contamination with urban stormwater and combined sewer overflows. *Journal of Great Lakes Research* 33(3): 566-580.
- Minnesota Pollution Control Agency 2008. Minnesota Stormwater Manual, Version 2. St. Paul, MN. [Online] URL: <http://www.pca.state.mn.us/publications/wq-strm9-01.pdf>.
- National Park Service 2002. Stakeholder analysis. Rivers, Trails and Conservation Assistance Program. National Park Service Northeast Region Philadelphia Office Website: [http://www.nps.gov/phso/rtcatoolbox/gatinfo\\_stakeholder.htm](http://www.nps.gov/phso/rtcatoolbox/gatinfo_stakeholder.htm) (accessed 11/8/03).

- Nielson, L. and C.L. Smith 2005. Influences of residential yard care and water quality: Tualitan Watershed, Oregon. *Journal of the American Water Resources Association* 41: 93-106.
- Niemczynowicz, J. 1999. Urban hydrology and water management – present and future challenges. *Urban Water* 1: 1-14.
- Nilsson, C., J.E. Pizzuto, G.E. Moglen, M.A. Palmer, E.H. Stanley, N.E. Bockstael, and L. Thompson 2003. Ecological forecasting and the urbanization of stream ecosystems: challenges for economists, hydrologists, geomorphologists, and ecologists. *Ecosystems* 6: 659-674.
- North Carolina Department of Environment and Natural Resources 2010. Stormwater and Runoff Pollution: Pollute Your Water; Pollute Yourself. Website URL: [http://www.ncstormwater.org/pages/stormwater\\_faqspage.html](http://www.ncstormwater.org/pages/stormwater_faqspage.html) (accessed February 12, 2010).
- Nürnberg, G.K. and B.D. LaZerte 2004. Modeling the effect of development on internal phosphorus load in nutrient-poor lakes. *Water Resources Research* 40: W01105, doi: 10.1029/2003WR002410.
- Obropta, C.C. and J.S. Kardos 2007. Review of urban stormwater quality models: Deterministic, stochastic, and hybrid approaches. *Journal of the American Water Resources Association* 43(6): 1508-1523.
- Ogden, J.C., S.M. Davis, K.J. Jacobs, T. Barnes, and H.E. Fling 2005. The use of conceptual ecological models to guide ecosystem restoration in south Florida. *Wetlands* 25: 795-809.
- Parson, E.A. 1995. Integrated assessment and environmental policy-making. *Energy Policy* 23(4/5): 463-375.
- Patz, J.A., S.J. Vavrus, C.K. Uejio, and S.L. McLellan 2008. Climate change and waterborne disease risk in the Great Lakes region of the U.S. *American Journal of Preventative Medicine* 35(5): 451-458.
- Rabalais, N.N., R.E. Turner and D. Scavia 2002. Beyond science into policy: Gulf of Mexico hypoxia and the Mississippi River nutrient policy development for the Mississippi River watershed reflects the accumulated scientific evidence that the increase in nitrogen loading is the primary factor in the worsening of hypoxia in the Northern Gulf of Mexico. *BioScience* 52(2): 129-142.
- Rouge River Project 1998. Rouge River National Wet Weather Demonstration Project Technical Memorandum. User's Manual: Watershed Management Model, Version 4.1. URL: <http://www.rougeriver.com/proddata/wmmmanul.pdf> (accessed January 19, 2010).

- Roy, A.H., S.J. Wenger, T.D. Fletcher, C. J. Walsh, A.R. Ladson, W.D. Shuster, H.W. Thurston and R.R. Brown 2008. Impediments and solutions to sustainable, watershed-scale urban stormwater management: Lessons from Australia and the United States. *Environmental Management* 42: 344-359.
- Saaty, T.L. 1990. An exposition of the AHL in reply to the paper "Remarks on the Analytic Hierarchy Process". *Management Science* 36: 259-268.
- Scavia, D. and S.B. Bricker 2006. Coastal eutrophication assessment in the United States. *Biogeochemistry* 79: 187-208.
- Schueler, T.R. 1994. The importance of imperviousness. *Watershed Protection Techniques* 1(3): 100-111.
- Schueler, T., D. Hirschman, M. Novotney and J. Zielinski 2007. Urban subwatershed restoration manual No. 3: Urban stormwater retrofit practices (version 1). Center for Watershed Protection, <http://www.cwp.org/Store/usrm/htm>.
- SEMCOG 2008. Low impact development manual for Michigan: A design guide for implementers and reviewers. [Online] URL: <http://www.semco.org/LowImpactDevelopment.aspx> (accessed July 23, 2009).
- Søndergaard, M., J.P. Jensen and E. Jeppesen 2001. Retention and internal loading of phosphorus in shallow, eutrophic lakes. *TheScientificWorld* 1: 427-442.
- Smullen, J.T., A.L. Shallcross and K.A. Cave 1999. Updating the U.S. nationwide urban runoff quality database. *Water Science and Technology* 39(12): 9-16.
- Steinman, A.D., K.E. Havens, N.G. Aumen, R.T. James, K-R. Jin, J. Zhang and B. Rosen 1999. Phosphorus in Lake Okeechobee: Sources, sinks, and strategies. p.527-544 *in* K.R. Reddy et al. (ed.) *Phosphorus biogeochemistry of subtropical ecosystems: Florida as a case example*. CRC/Lewis Publishers: New York, NY.
- Steinman, A.D., R. Rediske, and K.R. Reddy 2004. The reduction of internal phosphorus loading using alum in Spring Lake, Michigan. *Journal of Environmental Quality* 33: 2040-2048.
- Steinman, A.D., L. Nemeth, E. Nemeth, and R. Rediske 2006. Factors influencing internal phosphorus loading in a west-Michigan, drowned river mouth lake. *Journal of the North American Benthological Society* 25: 304-312.
- Steinman, A.D. and M. Ogdahl 2008. Ecological effects after an alum treatment in Spring Lake, Michigan. *Journal of Environmental Quality* 37: 22-29.
- Stevens, R.S. and J. Edwards 2009. State primary law materials in a digital era. *Michigan Bar Journal* 88(7): 20-25.

- Stone, B. and J.L. Bullen 2006. Urban form and watershed management: How zoning influences residential stormwater volumes. *Environment and Planning B: Planning and Design* 33: 21-37.
- Syed, A.U. and R.S. Jodoin 2006. Estimation of nonpoint-source loads to Total Nitrogen, Total Phosphorus, and Total Suspended Solids in the Black, Belle, and Pine River Basins, Michigan, by use of the PLOAD model. U.S. Geological Survey, Scientific Investigations Report 2006-5071.
- Theobald, D.M. 2005. Landscape patterns of exurban growth in the USA from 1980 to 2020. *Ecology & Society* 10(1): 32.
- Trim, A.H. and J.M. Marcus 1990. Integration of long-term fish kill data with ambient water quality monitoring data and application to water quality management. *Environmental Management* 14(3): 389-396.
- Tsihrintzis, V.A. and R. Hamid 1997. Modeling and management of urban stormwater runoff quality: A review. *Water Resources Management* 11: 137-164.
- U.S. Census Bureau 2009. American FactFinder: 2000 Demographic Profile Highlights. <http://factfinder.census.gov/> (accessed April - July, 2009).
- U.S. Department of Agriculture 2003. Fact Sheet: A Community Based Approach to Dealing with Canada Goose Damage. USDA Animal and Plant Health Inspection Service, Wildlife Services Publication, [Online] URL: [http://www.rahwayriver.org/images/Brightwood\\_Park\\_Files/Appendices/Appendix%20K.%20USDA%20Canada%20Goose%20Control%20Document.pdf](http://www.rahwayriver.org/images/Brightwood_Park_Files/Appendices/Appendix%20K.%20USDA%20Canada%20Goose%20Control%20Document.pdf) (accessed August 26, 2009).
- U.S. Environmental Protection Agency 2001. PLOAD version 3.0: An ArcView GIS tool to calculate nonpoint sources of pollution in watershed and stormwater projects. User's Manual, January.
- U.S. Environmental Protection Agency 2007. Reducing stormwater costs through low impact development (LID) strategies and practices. EPA 841-F-07-006. Washington, DC. [Online] URL: <http://www.epa.gov/nps/lid>.
- University of New Hampshire 2008. Stormwater Center 2007 Annual Report. Durham, NH. [Online] URL: <http://www.unh.edu/erg/cstev/>.
- Walsh, C.J., A.H. Roy, J.F. Feminella, P.D. Cottingham, P.M. Groffman, and R.P. Morgan II. 2005. The urban stream syndrome: current knowledge and the search for a cure. *Journal of the North American Benthological Society* 24: 706-723.

- Wang, Y., W. Choi and B.M. Deal 2005. Long-term impacts of land-use change on non-point source pollutant loads for the St. Louis metropolitan area, USA. *Environmental Management* 35(2): 194-205.
- Water Environment Federation 2009. User's Guide to the BMP and LID Whole Life Cost Models. Report No. SW2R08, Version 2.0. URL: <http://www.werf.org/AM/Template.cfm?Section=Search&Template=/CustomSource/Research/PublicationProfile.cfm&id=01-CTS-21-TA> (accessed January 18, 2010).
- Welch, E.B. and G.D. Cooke 1995. Internal phosphorus loading in shallow lakes: Importance and control. *Lake and Reservoir Management*: 11: 273-281.
- Welch, E.B. and G.D. Cooke 1999. Effectiveness and longevity of phosphorus inactivation with alum. *Lake and Reservoir Management*: 15: 5-27.
- Wu, J., S.L. Yu and R. Zou 2006. A water quality-based approach to watershed wide bmp strategies. *Journal of the American Water Resources Association* 42(5): 1193-1204.