Critical Care

Elective Critical Care Rotation Information and Instructional Objectives

Instructor of Record for Elective Critical Care Rotation:

Patrick Smith, PA-C Cell: 616-299-1158

Office Location: TC UC Suite 15A

Email: smithpa1@gvsu.edu

Elective Critical Care Clinical Rotation Topics

Cardiovascular System

Cardiomyopathy: Dilated, Hypertrophic, Restrictive, Stress

Conduction disorders/dysrhythmias: Atrial fibrillation, Atrial flutter, Atrial tachycardia, Atrioventricular block, Bradycardia, Bundle branch block, Idioventricular rhythm, Junctional, Premature contractions, QT prolongation, Sick sinus syndrome, Sinus arrhythmia, Torsades de pointes, Ventricular fibrillation, Ventricular tachycardia

Coronary artery disease: Acute myocardial infarction, Angina pectoris, Non–ST-segment elevation myocardial infarction, ST-segment elevation myocardial infarction, Unstable angina, Atherosclerosis

Heart failure

Hypertension: Primary hypertension, Secondary hypertension, Hypertensive emergencies,

Hypotension: Orthostatic hypotension, Vasovagal hypotension

Lipid disorder

Shock: Cardiogenic, Distributive, Hypovolemic, Obstructive

Traumatic, infectious, and inflammatory heart conditions: Cardiac tamponade, Infective

endocarditis, Myocarditis, Pericardial effusion, Pericarditis

Valvular disorders: Aortic, Mitral, Pulmonary, Tricuspid

Vascular disease: Aortic aneurysm/dissection, Arterial embolism/thrombosis, Arteriovenous

malformation, Deep vein thrombosis, Peripheral artery disease,

Endocrine System

Diabetes mellitus: Type 1, Type 2 Thyroid disorders: Thyroiditis

Gastrointestinal System/Nutrition

Biliary disorders: Acute cholecystitis, Cholangitis

Colorectal disorders: Abscess/fistula, Inflammatory bowel disease, Ischemic bowel disease,

Obstruction, Toxic megacolon

Diarrhea

Esophageal disorders: Esophagitis, Gastroesophageal reflux disease, Mallory-Weiss tear,

Motility disorders, Strictures, Varices, Zenker diverticulum

Gastric disorders: Gastritis, Gastroparesis, Peptic ulcer disease, Pyloric stenosis

Gastrointestinal bleeding

Hepatic disorders: Acute hepatitis, Chronic hepatitis, Cirrhosis, Fatty liver, Portal hypertension

Hernias

Hyperemesis

Ingestion of toxic substances and foreign bodies Metabolic disorders: Phenylketonuria, Rickets

Neoplasms: Benign, Malignant

Nutritional and vitamin disorders: Food allergies and food sensitivities, Hypervitaminosis/hypovitaminosis, Malabsorption, Refeeding syndrome

Pancreatic disorders: Acute pancreatitis, Chronic pancreatitis

Small intestine disorders: Appendicitis, Intussusception, Obstruction

Genitourinary System

Infectious disorders: Cystitis, Epididymitis, Fournier gangrene, Orchitis, Prostatitis,

Pyelonephritis, Urethritis Nephrolithiasis/urolithiasis

Hematologic System

Coagulation disorder: Clotting factor disorders, Thrombocytopenias

Cytopenias: Anemia, Leukopenia

Cytoses: Polycythemia, Thrombocytosis

Infectious Diseases

Bacterial diseases: Bartonella, Botulism, Campylobacter jejuni infection, Chancroid, Chlamydia, Cholera, Clostridioides difficile infection, Diphtheria, Gonococcal infections, Methicillin-resistant Staphylococcus aureus infection, Rheumatic fever, Rocky Mountain spotted fever, Salmonellosis, Shigellosis, Tetanus

Fungal diseases: Blastomycosis, Candidiasis, Coccidiomycosis, Cryptococcosis, Histoplasmosis,

Pneumocystis

Mycobacterial diseases: Atypical mycobacterial disease, Tuberculosis

Parasitic diseases: Amebiasis, Giardiasis, Helminth infestations, Malaria, Pinworms,

Toxoplasmosis, Trichomoniasis

Perinatal transmission of disorders: Congenital varicella, Herpes simplex virus, Human papillomavirus, Zika virus, Group B streptococcus

Prion diseases

Sepsis/systemic inflammatory response syndrome

Spirochetal diseases: Lyme disease, Syphilis

Viral diseases: Coronavirus infections, Cytomegalovirus infections, Epstein-Barr virus infection, Erythema infectiosum, Herpes simplex virus infections, HIV/AIDS, Human papillomavirus infections, Influenza, Measles, Mumps, Polio, Rabies, Roseola, Rubella, Varicella-zoster virus infections

Neurologic System

Cerebrovascular disorders: Arteriovenous malformation, Cerebral aneurysm, Coma, Hydrocephalus, Intracranial hemorrhage, Stroke, Syncope, Transient ischemic attach Closed head injuries: Concussion, Post-concussion syndrome, Traumatic brain injury

Encephalopathic disorders

Infectious disorders: Encephalitis, Meningitis

Neurocognitive disorders: Delirium

Seizure disorders: Generalized seizures, Status epilepticus

Spinal cord syndromes: Cauda equina syndrome, Epidural abscess, Spinal cord injuries

Pulmonary System

Acute respiratory distress syndrome

Foreign body aspiration

Hyaline membrane disease

Infectious disorders:

Acute bronchiolitis

Acute bronchitis

Acute epiglottitis

Croup

Empyema

Influenza

Pertussis

Pneumonias: Bacterial, Fungal, HIV-related, Viral

Respiratory syncytial virus infection

Tuberculosis

Obesity hypoventilation syndrome

Obstructive pulmonary diseases: Asthma, Chronic obstructive pulmonary disease, Cystic fibrosis

Pleural diseases

Pulmonary circulation: Cor pulmonale, Pulmonary edema, Pulmonary embolism, Pulmonary

hypertension

Restrictive pulmonary diseases: Idiopathic pulmonary fibrosis, Pneumoconiosis, Sarcoidosis

Sleep apnea

Renal System

Acid base disorders

Acute kidney injury and acute renal failure: Intrinsic, Prerenal, Postrenal

Chronic kidney disease/end-stage renal disease

Congenital or structural renal disorders: Horseshoe kidney, Hydronephrosis, Polycystic kidney

disease

Electrolyte disorders

Fluid imbalances

Renal vascular disease

Rhabdomyolysis

Critical Care Rotation Learning Outcomes and Instructional Objectives

Upon completion of the Critical Care clinical rotation,

Rotation Learning Outcomes	Instructional Objectives
Students will demonstrate medical knowledge of the pathophysiology, etiology, epidemiology, patient presentation, differential diagnosis, diagnostic work-up, patient management, health promotion, and disease prevention for common conditions	
(listed in Critical Care Clinical Rotation	
Topics above) encountered in palliative care.	Critical Care instructional objective: Explain the pathophysiology of the clinical presentations of conditions listed in the Critical Care Clinical Rotation Topics (above). (MK-PLO3)
	Critical Care instructional objective: Describe the etiology and epidemiology of the clinical conditions listed in the Critical Care Clinical Rotation Topics (above). (MK-PLO3)
	Critical Care instructional objective: Distinguish normal aging from pathologic process. (MK-PLO3)
	Critical Care instructional objective: Identify the patient presentation of conditions listed in the Palliative Care Clinical Rotation Topics (above). (MK- PLO3)
	Critical Care instructional objective: Differentiate how disease processes of conditions listed in the Critical Care Clinical Rotation Topics (above) may present. (MK-PLO3)
	Critical Care instructional objective: Explain the appropriate diagnostic workup of the clinical conditions listed in the Critical Care Clinical Rotation Topics (above). (MK-PLO3)
	Critical Care instructional objective: Formulate a differential diagnosis for patient presentations of conditions listed in

the Critical Care Clinical Rotation Topics (above). (MK-PLO3)
Critical Care instructional objective: Compare and contrast the risks and benefits of diagnostic studies and treatment plans for conditions listed in the Critical Care Clinical Rotation Topics (above). (MK-PLO3)
Critical Care instructional objective: Summarize the indications and contraindications of procedures commonly used in the treatment of conditions listed in the Critical Care Clinical Rotation Topics (above). (MK PLO-2)
Critical Care instructional objective: Compare and contrast the risks and benefits of procedures indicated for conditions listed in the Critical Care Clinical Rotation Topics (above). (MK PLO-3)
Critical Care instructional objective: Outline the appropriate management of the clinical conditions listed in the Critical Care Clinical Rotation Topics (above). (MK-PLO3)
Critical Care instructional objective: Identify the common medication problems specific to palliative care, including polypharmacy, potential toxic interactions of drugs, compliance issues, and the complexity of new medication prescribing. (MK-PLO3)
Palliative Care instructional objective: Describe health promotion in relation to the management of the clinical conditions listed in the Palliative Care Clinical Rotation Topics (above). (MK-PLO3)
Critical Care instructional objective: Describe disease prevention for clinical conditions listed in the Palliative Care Clinical Rotation Topics (above). (MK-PLO3)
Critical Care instructional objective: Identify national screening guidelines for the applicable clinical conditions listed in

	the Palliative Care Clinical Rotation Topics (above). (MK-PLO2)
	Critical Care instructional objective: Recognize when it is appropriate to obtain informed consent.
	Critical Care instructional objective: Discuss medications commonly used in the treatment of conditions listed in the Critical Care Clinical Rotation Topics (above), including indications, contraindications, possible drug interactions, mechanism of action, most common side effects, need for laboratory monitoring, and appropriate dosages. (MK PLO-3)
	Critical Care instructional objective: Interpret and apply healthcare guidelines for relevant conditions in the Critical Care Clinical Rotation topics (above). (MK PLO-3)
	Critical Care instructional objective: Select appropriate prescription medication(s) and dosing for the treatment of conditions listed in the Critical Care Clinical Rotation Topics (above). (MK PLO-3)
	Critical Care instructional objective: Actively participate in the management of patients. (MK- PLO3)
Students will elicit a detailed and accurate patient history, perform an appropriate physical examination, appropriately use and interpret diagnostic testing and laboratory studies, and formulate differential diagnoses and assessment plans for symptoms/conditions (listed in Critical Care Clinical Rotation Topics above) commonly encountered in patients seeking care in a palliative care setting.	
	Critical Care instructional objective: Demonstrate an age-appropriate problem- focused history and physical exam for patients in a palliative care setting. (PC PLO-1, PC-PLO-2)

	Critical Care instructional objective: Select
	and interpret appropriate diagnostic and laboratory studies for conditions listed in the Critical Care Clinical Rotation Topics (above) for patients in a palliative care setting. (PC-PLO3)
	Critical Care instructional objective: Formulate an appropriate differential diagnosis based on history, physical examination, diagnostic data, and clinical reasoning for patients in a palliative care setting. (PC-PLO4)
	Critical Care instructional objective: Develop an appropriate assessment, management care plan, and disposition of patients, given all pertinent medical data, including history, physical exam, laboratory, and diagnostic data in a palliative care setting. (PC-PLO4)
	Critical Care instructional objective: Actively participate in the management of patients with conditions listed in the Critical Care Clinical Rotation Topics (above) in a palliative care setting. (PC-PLO4)
Students will document information clearly and appropriately in critical care.	
	Critical Care instructional objective: Document an acute problem-focused medical note for patients. (ICS-PLO2)
	Critical Care instructional objective: Document a chronic problem-focused medical note. (ICS-PLO2)
	Critical Care instructional objective: Document information clearly and accurately at an appropriate level for patients, colleagues, and teachers. (ICS- PLO2)
	Critical Care instructional objective: Document care plans for patients with multiple conditions, ensuring integration of comorbidities and prioritization of care needs." (ICS-PLO2)

	Critical Care instructional objective: Document medical information in a manner		
	that synthesizes large volumes of data and		
	summarizes complex care plans, tailored to		
	a palliative care setting. (ICS-PLO2)		
Students will listen empathetically and			
effectively, communicate clearly, utilize			
shared decision-making, and provide patient			
education and patient counseling for patients			
seeking care in palliative care.			
	Critical Care instructional objective: Utilize open-ended questions, active listening, and empathetic communication to elicit patient preferences, values, goals, and concerns while providing space for patients to fully articulate their thoughts without interruption. (ICS-PLO1)		
	Critical Care instructional objective: Communicate complex medical information clearly and comprehensively, using plain language and avoiding medical jargon, while tailoring the content and delivery to the patient's level of understanding and health literacy. (ICS- PLO3)		
	Critical Care instructional objective: Deliver clear, concise, and well-organized oral case presentations using a structured format, ensuring the inclusion of pertinent patient information to effectively communicate with preceptors and the healthcare team, fostering collaboration and continuity of care. (ICS-PLO3)		
	Critical Care instructional objective: Identify and address communication barriers with diverse patient populations and adapt communication style and information context to ensure understanding, effective interaction, and culturally sensitive care. (ICS PLO-3)		

	, , , , , , , , , , , , , , , , , , , ,
	Critical Care instructional objective: Collaborate with the patient and family to identify realistic goals, develop a shared understanding of diagnoses and treatment options, and explain the risks and benefits of diagnostic studies and treatments, while demonstrating empathetic listening to clarify misconceptions and address concerns or fears. (ICS PLO-5) Critical Care instructional objective: Deliver age-appropriate patient-centered education and counseling, including health promotion, disease prevention, and evidence-based written materials tailored to
	the patient's needs and health literacy, to patients seeking care in palliative care. (ICS-PLO5)
	Critical Care instructional objective: Provide patient-centered counseling that addresses emotional, psychological, and social concerns (ICS-PLO5)
	Critical Care instructional objective: Assess patient understanding of medical information and treatment plans and address any gaps in comprehension (ICS-PLO3)
Students will facilitate difficult health care conversations in critical care.	
	Critical Care instructional objective: Establish rapport and trust with patients and their family members by demonstrating empathy, active listening, and respect for their emotions, perspectives, and concerns while maintaining professionalism and objectivity. (ICS PLO-4)
	Critical Care instructional objective: Create a supportive environment conducive to open and honest dialogue, ensuring that the patient and their family feel comfortable expressing their thoughts, emotions, and preferences. (ICS PLO-4)
	Critical Care instructional objective: Demonstrate sensitivity and cultural competence in addressing sensitive topics, such as end-of-life care, advance directives,

	or difficult treatment decisions, while respecting diverse perspectives and values. (ICS PLO-4)
	Critical Care instructional objective: Provide emotional support and connect patients and their families with appropriate resources to help them cope with difficult emotions and navigate the healthcare system effectively. (ICS PLO-4)
Students will demonstrate compassion, integrity, respect, patient responsiveness, and accountability while providing care to patients in critical care.	
	Critical Care instructional objective: Demonstrate empathy, understanding, compassion, and sensitivity to the emotional, social, developmental, cultural, and diverse backgrounds of patients and their families, including age, gender, and disabilities. (P-PLO1)
	Critical Care instructional objective: Respect patient confidentiality and privacy, ensuring that sensitive information is handled appropriately and securely. (P- PLO1)
	Critical Care instructional objective: Use inclusive language and cultural sensitivity when interacting with patients and their families to foster trust and respect. (P-PLO1)
	Critical Care instructional objective: Exhibit professionalism in interactions with patients, families, and healthcare team members, including maintaining appropriate dress, punctual attendance, and a professional attitude in all clinical settings. (P-PLO1)
	Critical Care instructional objective: Prioritize patient care over personal comfort or preferences, demonstrating a willingness to adjust schedules or extend work hours to accommodate patient needs. (P-PLO2)

	T
	Critical Care instructional objective: Demonstrate flexibility, attentiveness, and responsiveness in addressing patient concerns and unexpected changes. (P-PLO2)
	Critical Care instructional objective: Take accountability for actions, decisions, and the quality of care provided, ensuring continuous evaluation and improvement. (P-PLO3)
	Critical Care instructional objective: Evaluate and integrate community resources to support patient care in palliative care. (P PLO-3)
	Critical Care instructional objective: Demonstrate motivation and desire to learn. (P PLO-3)
	Critical Care instructional objective: Demonstrate knowledge of the legal and regulatory requirements of the role of a physician assistant. (P-PLO4)
	Critical Care instructional objective: Exhibit integrity by adhering to ethical standards, acting with honesty, and maintaining professional accountability in all interactions and decisions." (P-PLO1)
Students will (a) seek, implement, and accept feedback, (b) reflect on performance and develop plans for self-improvement, and (c) locate, appraise, and integrate evidence-based studies related to critical care.	
	Critical Care instructional objective: Proactively seek feedback from their preceptor on clinical performance, communication skills, and professional behavior, demonstrating openness to constructive criticism and willingness to apply it to improve. (PBL PI-PLO1)
	Critical Care instructional objective: Develop action plans based on feedback including specific goals and timelines for implementation. (PBL PI-PLO1)
	Critical Care instructional objective: Recognize personal and professional limitations, and locate assistance from

	preceptors, colleagues, and reference materials to address areas needing improvement. (PBL PI-PLO1)
	Critical Care instructional objective: Monitor progress towards goals over time, adjusting action plans as necessary based on ongoing reflection and feedback. (PBL PI PLO-2)
	Critical Care instructional objective: Develop the ability to learn from practice. (PBL PI PLO-2)
	Critical Care instructional objective: Demonstrate lifelong learning by interpreting independent readings, assessing medical evidence, and applying decision-making tools to provide evidence- based patient care in palliative care. (PBL PI-PLO3)
	Critical Care instructional objective: Recognize the importance of lifelong learning in the medical field. (PBL PI PLO- 3)
	Critical Care instructional objective: Assess and effectively communicate medical evidence to patients, colleagues, and healthcare teams to support shared decision-making and patient care. (PBL PI PLO-3)
	Critical Care instructional objective: Utilize medical information technology to access and appraise online medical resources, enhance personal education, support clinical decision-making, and educate patients. (PBL PI PLO-3)
In a critical care setting, students will (a) promote a safe environment, (b) demonstrate knowledge of quality improvement methodologies and metrics, (c) recognize the unique role of PAs and other health professions, (d) work effectively with other health professionals to provide collaborative, patient-centered care, (e) incorporate considerations of cost awareness and funding, and (g) describe basic health payment systems and practice models.	

Critical Care instructional objective: Operate under the rules of HIPAA to preserve patient confidentiality in a palliative care setting. (SBP PLO-1)
Critical Care instructional objective: Practice according to policy and procedures set forth by the health care facility. (SBP PLO-1)
Critical Care instructional objective: Identify barriers and challenges to implementing quality improvement initiatives in a critical care setting and propose strategies to overcome them. (SBP PLO-2)
Critical Care instructional objective: Discuss the appropriate use of controlled substances and statewide tracking systems to ensure ethical and legal patient care in a critical care setting. (SBP PLO-2)
Critical Care instructional objective: Encourage a culture of safety and collaboration within the healthcare team by promoting open communication, error reporting, mutual respect, and teamwork while providing patient-centered care in a critical care setting. (SBP-PLO3)
Critical Care instructional objective: Identify the steps of the referral process for patients and the roles of other healthcare professionals in the participation of your patient's care in a critical care setting. (SBP-PLO3)
Critical Care instructional objective: Employ a professional relationship with the preceptors and other healthcare team members in a critical care setting. (SBP-PLO4)
Critical Care instructional objective: Efficiently manage patient flow and clinic scheduling to optimize access to care and minimize wait times for patients seeking care in a critical care setting. (SBP-PLO5)

Critical Care instructional objective: Communicate effectively with administrative staff, medical assistants, and other members of the healthcare team to coordinate patient care activities and ensure smooth health care operations in a critical care setting. (SBP-PLO4, SBP-PLO5)		
Critical Care instructional objective: Evaluate cost-effective healthcare resources that do not compromise the quality of care for patients in a critical care setting. (SBP PLO-6)		
Critical Care instructional objective: Discuss treatment options for patient care in an unbiased manner, considering both clinical effectiveness and cost implications and involving patients in shared decision-making in a critical care setting. (SBP PLO-6)		
Critical Care instructional objective: Describe common practice models in a critical care setting. (SBP PLO-6)		
Critical Care instructional objective: Demonstrate an understanding of the roles and responsibilities of PAs and other healthcare professionals in a critical care setting, including their contributions to population health, care coordination, and cost reduction through preventive services and chronic disease management. (SBP PLO-6)		
Critical Care instructional objective: Choose appropriate billing codes for payment services under the direct supervision of the preceptor in a palliative care setting. (SBP-PLO7)		
Critical Care instructional objective: Io Identify funding sources and payment systems, including eligible patient populations for Medicaid and Medicare, in a critical care setting (SBP-PLO7)		

Critical Care Rotation Curriculum Integration Table

Rotation Learning Outcome	Assessment Method (Benchmark Requirements)	PAS Program Goal	PAS Program Learning Outcome (ARC- PA)/Student Learning Outcomes (GVSU)
Students will demonstrate	Preceptor	Medical	MK #2
medical knowledge of the pathophysiology, etiology, epidemiology, patient presentation, differential diagnosis, diagnostic work-up, patient management, health promotion, and disease prevention for common conditions (listed in Critical Care Clinical Rotation Topics above) encountered in palliative care.	Evaluation (80% average score on Medical Knowledge competency section)	Knowledge and Competence in Patient Care	MK#3
Students will elicit a detailed and	Preceptor	Medical	PC #1
accurate patient history, perform	Evaluation (80%	Knowledge and	PC #2
an appropriate physical	average score on	Competence in	PC #3
examination, appropriately use and interpret diagnostic testing and laboratory studies, and formulate differential diagnoses and assessment plans for symptoms/conditions (listed in Critical Care Clinical Rotation Topics above) commonly encountered in patients seeking care in a palliative care setting.	Patient Care competency section)	Patient Care	PC #4
Students will document information clearly and appropriately in critical care.	Preceptor Evaluation (80% average score on Interpersonal and Communication Skills competency section)	Medical Knowledge and Patient Care	ICS#2

	Τ_		1 1
Students will listen empathetically and effectively, communicate clearly, utilize shared decision-making, and provide patient education and patient counseling for patients	Preceptor Evaluation (80% average score on Interpersonal and Communication Skills competency	Medical Knowledge and Patient Care Collaborative	ICS #1 ICS #3
seeking care in palliative care.	section)	Practice	ICS #5
Students will demonstrate compassion, integrity, respect, patient responsiveness, and accountability while providing care to patients in critical care.	Preceptor Evaluation (80% average score on Interpersonal and Communication Skills competency section)	Collaborative Practice	ICS #4
Students will demonstrate	Preceptor	Professionalism	P #1
compassion, integrity, respect,	Evaluation (80%		P #2
patient responsiveness, and accountability while providing care to patients in critical care.	average score on Professionalism competency section)		P #3
Students will (a) seek,	Preceptor	Lifelong	PBLPI #1
implement, and accept feedback,	Evaluation (80%	Learning	PBLPI #2
(b) reflect on performance and develop plans for self-improvement, and (c) locate, appraise, and integrate evidence-based studies related to critical care.	average score on Practice-Based Learning and Proficiency Improvement competency section)		PBLPI #3
In a critical care setting, students	Preceptor	Medical	SBP #1
will (a) promote a safe environment, (b) demonstrate	Evaluation (80% average score on	Knowledge and Patient Care	SBP #6
knowledge of quality improvement methodologies and	Systems-Based Practice	Lifelong Learning	SBP #2
metrics, (c) recognize the unique	competency	Collaborative	SBP #3
role of PAs and other health professions, (d) work effectively	section)	Practice	SBP #4
with other health professionals to			SBP #5
provide collaborative, patient- centered care, (e) incorporate considerations of cost awareness and funding, and (g) describe basic health payment systems and practice models.			SBP #7

Critical Care Preceptor Evaluation of the Student

Critical Care Preceptor Evaluation of the Student					
What is your group and/or site name (i.e., Corewell Health Greenville Hospital Multispecialty Cent–r - Oak St, Family Medicine)					
Medical Knowledge: This section evaluates the student's ability to demonstrate medical knowledge, clinical reasoning, and problem-solving ability of sufficient breadth and depth to practice medicine as an entry-level physician assistant					
	60%	70%	80%	90%	100%
	(Failing)	(D+/ C-)	(C+/ B)	(B+/ A-)	(A)
Student demonstrated medical knowledge in pathophysiology, etiology, and epidemiology for patients seeking medical care for common conditions encountered in critical care (MK#2, 3)					
Student demonstrated medical knowledge of patient presentations for common conditions encountered in critical care (MK#2,3)					
Student demonstrated medical knowledge of differential diagnosis for patients seeking medical care for common conditions encountered in critical care (MK#2,3)					
Student demonstrated medical knowledge of the diagnostic work-up for patients seeking medical care for common conditions encountered in critical care (MK#2,3)					
Student demonstrated medical knowledge of patient management strategies for patients seeking medical care for common conditions encountered in critical care (MK#2,3)					
Student demonstrated medical knowledge of health promotion and disease prevention for patients seeking medical care for common conditions encountered in critical care (MK#2, 3)					
Additional Comments:					
Patient Care: This section evaluates the student's ability to provide person-centered care that includes patient- and setting-specific assessment, evaluation, management, and health promotion.					
		70%	80%	90%	100%

	60%	(D+/	(C+/	(B+/	(4)
	(Failing)	Č-)	B)	À-)	(A)
Student elicited a detailed and accurate history for					
patients encountered in critical care (PC#1)					
Student performed an appropriate physical					
examination for patients encountered in critical care					
(PC#1)					
Student demonstrated knowledge of the appropriate					
use and interpretation of diagnostic testing for					
patients encountered in critical care (PC#3)					
Student demonstrated knowledge of the appropriate					
use and interpretation of laboratory studies for					
patients encountered in critical care (PC#3)					
Student organized information from the interview,					
diagnostic testing, and physical examination to					
formulate differential diagnoses for patients encountered in critical care (PC#4)					
Student organized information from the interview, diagnostic testing, and physical examination to					
formulate assessments for symptoms/conditions					
commonly encountered for patients encountered in					
critical care (PC#4)					
Student organized information from the interview,					
diagnostic testing, and physical examination to					
formulate management plans for					
symptoms/conditions commonly encountered for					
patients encountered in critical care (PC#4)					
Interpersonal and Communication Skills: This					
section evaluates the student's ability to demonstrate					
verbal and non-verbal communication skills needed					
to have respectful, compassionate, and effective					
conversations with patients, patients' families, and					
health professionals to exchange information and					
make medical decisions.					
	60%	70%	80%	90%	100%
	(Failing)	(D+/	(C+/	(B+/	(A)
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	C-)	B)	A-)	(**)
Student documented information clearly and					
appropriately for critical care encounters (ICS#2)					
Student listened empathetically and effectively to					
patients seeking care in critical care (ICS#1)					
Student communicated information clearly in critical					
care (ICS#3)					

T	1			1	1
Student utilized shared-decision making for patients seeking care in critical care (ICS#5)					
Student provided patient education and counseling					
for patients seeking care in critical care (ICS#5)					
Student facilitated difficult health care conversations					
in critical care (ICS#4)					
Additional Comments:					
Professionalism: This section evaluates the student's					
ability to demonstrate commitment to carrying out professional responsibilities and adhering to ethical					
principles and practices in critical care.					
Student demonstrated compassion, integrity, and					
respect to patients seeking care in critical care (P#1)					
Student demonstrated patient responsiveness while					
providing care to patients in critical care (P#2)					
Student showed accountability while providing care					
to patients in critical care (P#3)					
Additional Comments:					
Practice-Based Learning and Proficiency					
Improvement: This section evaluates the student's ability to acquire, appraise, and apply evidence-based					
medicine to patient care and accurately assess and					
improve clinical performance based on constant self-					
evaluation and lifelong learning.					
	60%	70%	80%	90%	100%
	(Failing)	(D+/ C-)	(C+/ B)	(B+/ A-)	(A)
Student sought, implemented, and accepted feedback		,			
related to critical care (PBLPI#1)					
Student reflected on their performance to identify					
strengths and deficiencies in their knowledge and					
expertise and develop a plan for self-improvement related to critical care (PBLPI#2)					
Student located, appraised, and integrated evidence-					
based studies related to critical care (PBLPI#3)					
Additional Comments:					
Systems-Based Practice: This section evaluates the					
student's ability to engage with other healthcare					
professionals in a manner that optimizes care within					
the context of the larger healthcare system.		700/	000/	000/	1000/
		70%	80%	90%	100%

	60% (Failing)	(D+/ C-)	(C+/ B)	(B+/ A-)	(A)
Student promoted a safe environment for patients seeking care in a critical care setting (SBP#1)					
Student demonstrated knowledge of quality improvement methodologies and metrics in a critical care setting (SBP#2)					
Student recognized the unique roles of PAs and those of other healthcare professions in a critical care setting (SBP#3)					
Student worked effectively with other health professionals to provide collaborative, patient-centered care in a critical care setting (SBP#4)					
Student worked effectively in a critical care setting (SBP#5)					
Student incorporated considerations of cost awareness and funding sources into patients seeking care in a critical care setting (SBP#6)					
Student described basic health payment systems and practice models for a critical care setting (SBP#7)					

Additional Comments:

Did the student have any absences during the rotation?

Yes

No

If yes, please indicate dates and reason for absence:

Please write a short note commenting on this student's particular strengths.

Please write a short note commenting on this student's particular areas for improvement. Was this evaluation discussed with the student?

Yes

No

Additional comments

Preceptor Signature: